



SAFETY DATA SHEET

page 1/7
HY-Bond Temporary Cement
POWDER
Printing date: August 3, 2017

SECTION 1. Identification of the substance or mixture and of the supplier

1.1 Product identifier

Trade Name:

HY-Bond Temporary Cement "POWDER"

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Dental material

Uses advised against: No further data

1.3 Details of the supplier of the safety data sheet

Company/Undertaking identification

Manufacturer's Name: **SHOFU INC.**

Address: 11 Kamitakamatsu-cho, Fukuine, Higashiyama-ku, Kyoto 605-0983, JAPAN

Phone: +81-75-561-1112

Fax: +81-75-275-4795

Section in Charge: Quality Assurance Section

1.4 Emergency Telephone Number

+81-75-561-1112

SECTION 2. Hazards identification

2.1 GHS Classification

PHYSICAL HAZARDS

FLAMMABLE SOLIDS Not Classified

PYROPHORIC SOLIDS Not Classified

SELF-HEATING SUBSTANCES AND MIXTURES Not Classified

OXIDIZING SOLIDS Not Classified

HEALTH HAZARDS

ACUTE TOXICITY-ORAL Not Classified

ACUTE TOXICITY-DERMAL Not Classified

ACUTE TOXICITY-INHALATION(DUST) Category 4

SKIN CORROSION/IRRITATION Not Classified

EYE DAMAGE/IRRITATION Category 2A

SENSITIZATION-RESPIRATORY Category 1

SENSITIZATION-SKIN Category 1

GERM CELL MUTAGENICITY Not Classified

CARCINOGENICITY Category 1A

TOXIC TO REPRODUCTION Not Classified

SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (SINGLE EXPOSURE)
Category 1 (systemic toxicity)

SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (REPEATED EXPOSURE)
Category 1(lung)
Category 2(bone)

ENVIRONMENTAL HAZARD

HAZARDOUS TO THE AQUATIC ENVIRONMENT-ACUTE HAZARD
Category 2

HAZARDOUS TO THE AQUATIC ENVIRONMENT-CHRONIC HAZARD
Category 3



SAFETY DATA SHEET

page 2/7
HY-Bond Temporary Cement
POWDER
Printing date: August 3, 2017

The thing without mention is out of a classification object. Or cannot classify it.

2.2 Label elements

SYMBOL



GHS07 GHS08

SIGNAL WORD Danger

HAZARD STATEMENTS

- Harmful if inhaled.
- Causes serious eye irritation.
- May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- May cause an allergic skin reaction.
- May cause cancer.
- Causes damage to organs. (systemic toxicity)
- Causes damage to organs through prolonged or repeated exposure. (lung)
- May cause damage to organs through prolonged or repeated exposure. (bone)
- Toxic to aquatic life.
- Harmful to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS

- [Prevention]
 - Obtain special instruction before use.
 - Do not handle until all safety precautions have been read and understood.
 - Do not breathe dust.
 - Wear protective gloves/protective clothing/eye protection/face protection.
 - Wash hand thoroughly after handling.
 - Use only outdoors or in a well-ventilated area.
- [Response]
 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor.
 - IF ON SKIN: Wash with plenty of water and soap.
 - If skin irritation occurs: Get medical advice/attention.
 - IF IN EYES: Rinse cautiously with water for several minutes.
 - Remove contact lenses, if present and easy to do. Continue rinsing.
 - If eye irritation persists: Get medical advice/attention.
- [Storage]
 - Store in a cool and dark area.
- [Disposal]
 - Dispose of contents and container in accordance with regulation.

2.3 Other hazards

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.



SAFETY DATA SHEET

page 3/7
HY-Bond Temporary Cement
POWDER
Printing date: August 3, 2017

SECTION 3. Composition/information on ingredients

- 3.1 Chemical characterization: Mixtures
- 3.2 Description: Mixture of substances listed below with nonhazardous additions.
- 3.3 Dangerous components: Void
 - Zinc Oxide [Cas No. 1314-13-2] 60-65 %
 - Rosin [Cas No. 8050-09-7] 25-30 %
 - Others
- 3.4 Additional information: For the wording of the listed risk phrases refer to section 2

SECTION 4. First-aid measures

- 4.1 Description of first aid measures
 - Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present. and easy to do. If eye irritation persists, get medical advice/attention.
 - Skin contact: Wash immediately with soap and plenty of water. If on skin, skin irritation, get medical advice/attention.
 - Ingestion: Rinse mouth and seek medical advice if necessary.
 - Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptom concerning breath goes out, call a POISON CENTER or doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
 - No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

SECTION 5. Fire-fighting measures

- 5.1 Extinguishing Media:
 - This product is not flammable.
- 5.2 Special hazards arising from the substance or mixture:
 - No further relevant information available.
- 5.3 Advice for firefighters:
 - No special measures required.

SECTION 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures:
 - Avoid contact with eyes and skin. Do not breathe dust.
- 6.2 Environmental Precautions:
 - Send to approved treatment/disposal company or dispose according to local, state and federal regulations.
- 6.3 Methods and material for containment and cleaning Up:
 - Wipe up and discard in a suitable container.
- 6.4 Reference to other section:
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.



SAFETY DATA SHEET

page 4/7
HY-Bond Temporary Cement
POWDER
Printing date: August 3, 2017

SECTION 7. Handling and storage

- 7.1 Precautions for safe handling:
Handle in a well ventilated area. Avoid prolonged inhalation.
- 7.2 Conditions for safe storage, including any incompatibilities:
Store in a cool and dry conditions with lid tightly closed.
- 7.3 Specific end use(s):
No further relevant information available.

SECTION 8. Exposure controls/personal protection

- 8.1 Control parameters:
Exposure limits
Zinc Oxide ACGIH TLV 2 mg/m³ (TWA)
- 8.2 Exposure controls:
Respiratory Protection: Dust mask
- Skin Protection: Hand Protection
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
- Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 - Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:
Butyl rubber, BR
Nitrile rubber, NBR
- Eye Protection: Safety goggles

SECTION 9. Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- | | |
|------------------------------|---------------------------------|
| Appearance/Odor/Colour: | Yellowish white odorless powder |
| Odour threshold | Not determined. |
| pH | Not determined. |
| Melting point/freezing point | Not determined. |
| Boiling Point: | Not determined. |
| Flash point: | Not determined. |



SAFETY DATA SHEET

page 5/7
HY-Bond Temporary Cement
POWDER
Printing date: August 3, 2017

Evaporation rate	Not determined.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative Density:	≈ 2.3 (water=1)
Solubility: water solubility	Insoluble.
Partition coefficient: n-octanol/water	Not determined.
Auto-ignition temperature	Not determined.
Decomposition temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

9.2 Other information

No further relevant information available.

SECTION 10. Stability and reactivity

10.1 Reactivity:

No further relevant information available.

10.2 Chemical stability:

Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions:

No dangerous reactions known.

10.4 Condition to Avoid:

Avoid direct sunlight and high temperature.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous Decomposition Products:

None under normal conditions of storage and use.

SECTION 11. Toxicological information

11.1 Information on toxicological effects:

Acute toxicity:

H332 Harmful if inhaled.

Zinc Oxide;

Oral rat LD50 > 5000 mg/kg

Inhalation (dust) rat LC50 > 5.7 mg/kg

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Eye damage/irritation:

H319 Causes serious eye irritation.

Sensitization to the respiratory tract:

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitization:

H317 May cause an allergic skin reaction.

Germ cell mutagenicity/Genotoxicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

H350 May cause cancer.

Reproductive toxicity:

Based on available data, the classification criteria are not met.



SAFETY DATA SHEET

page 6/7
HY-Bond Temporary Cement
POWDER
Printing date: August 3, 2017

Effects on or via lactation: Lack of data.
Specific target organ toxicity (single exposure):
H370 Causes damage to organs. (systemic toxicity)
Specific target organ toxicity (repeated exposure):
H372 Causes damage to organs through prolonged or repeated exposure. (lung)
H373 May cause damage to organs through prolonged or repeated exposure. (bone)
Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12. Ecological information

- 12.1 Toxicity:
No further relevant information available.
- 12.2 Persistence and degradability:
No further relevant information available.
- 12.3 Bioaccumulative potential:
No further relevant information available.
- 12.4 Mobility in soil:
No further relevant information available.
- 12.5 Results of PBT and vPvB assessment:
Not applicable.
- 12.6 Other adverse effects:
No further relevant information available.

SECTION 13. Disposal considerations

- 13.1 Waste treatment methods:
Dispose of contents/container to in accordance with local/regional/national/international regulations.

SECTION 14. Transport information

- 14.1 UN number: Void
- 14.2 UN proper shipping name: Void
- 14.3 Transport hazard class(es): Void
- 14.4 Packing group: Void
- 14.5 Environmental hazards: No
- 14.6 Special precautions for user: Not applicable.
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:
Not applicable.

SECTION 15. Regulatory informati

Follow all regulations in your country.

SECTION 16. Other information

This product is intended for use by dental professionals. (instrument/material)



SAFETY DATA SHEET

page 7/7
HY-Bond Temporary Cement
POWDER
Printing date: August 3, 2017

Relevant phrases:

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H350 May cause cancer.
- H370 Causes damage to organs. (systemic toxicity)
- H372 Causes damage to organs through prolonged or repeated exposure. (lung)
- H373 May cause damage to organs through prolonged or repeated exposure. (bone)
- H401 Toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative