

page 1/6 CERAMAGE **OXY BARRIER** Printing date: July 20, 2017

Identification of the substance or mixture and of the supplier

Product identifier

Trade Name:

CERAMAGE "OXY BARRIER"

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Dental material Uses advised against: No further data

1.3 Details of the supplier of the safety date sheet

Company/Undertaking identification

Manufacturer's Name: SHOFU INC.

Address: 11 Kamitakamatsu-cho, Fukuine, Higashiyama-ku, Kyoto 605-0983, JAPAN

Phone: +81-75-561-1112 Fax: +81-75-275-4795

Section in Charge: Quality Assurance Section

1.4 Emergency Telephone Number

+81-75-561-1112

SECTION 2. Hazards identification

2.1 GHS Claccification

HEALTH HAZARDS

EYE DAMAGE/IRRITATION GERM CELL MUTAGENICITY Not Classified Not Classified

The thing without mention is out of a classification object. Or cannot classify it.

2.2 Label elements

SYMBOL Void SIGNAL WORD Warning

HAZARD STATEMENTS

Causes skin irritation

PRECAUTIONARY STATEMENTS

[Prevention]

Do not handle until all safety precautions have been read and understood.

Wear protective gloves and eye/face protection.

Wash hands thoroughly after handling.

[Response]

If in eyes, rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

If eye irritation persists, get medical advice/attention.

[Storage]

Store in a cool and dark area.

[Disposal]

Dispose of contents and container in accordance with regulation.

Revision date: July 13, 2017

Version Number 7



page 2/6 CERAMAGE OXY BARRIER Printing date: July 20, 2017

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3. Composition/information on ingredients

3.1 Chemical characterization: Mixtures

3.2 Description: Mixture of substances listed below with nonhazardous additions.

3.3 Dangerous components: Void

Glycerin [Cas No. 56-81-5]

70-80 %

Polyethylene Glycol [Cas No. 25322-68-3]

Water Others

3.4 Additional information: For the wording of the listed risk phrases refer to section 2

SECTION 4. First-aid measures

4.1 Description of first aid measures

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present.

and easy to do. If eye irritation persists, get medical advice/attention.

Skin contact: Wash immediately with soap and plenty of water. If on skin, skin irritation, get

medical advice/attention.

Ingestion: Rinse mouth and seek medical advice if necessary.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If symptom concerning breath goes out, call a POISON CENTER or doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5. Fire-fighting measures

5.1 Extinguishing Media:

Foam, CO₂, Powder

5.2 Special hazards arising from the substance or mixture:

In case of fire, irritation gases and fumes may emit.

5.3 Advice for firefighters:

Wear fire protective cloth and self-contained breathing apparatus, if necessary.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with eyes and skin.

6.2 Environmental Precautions:

Dispose according to local, state and federal regulations.

6.3 Methods and material for containment and cleaning Up:

Wipe up and discard in a stable container.

6.4 Reference to other section:

See Section 7 for information on safe handling.



page 3/6 CERAMAGE OXY BARRIER Printing date: July 20, 2017

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7. Handling and storage

7.1 Precautions for safe handling:

Avoid inhalation of grindings and prolonged skin contact with uncured resin.

7.2 Conditions for safe storage, including any incompatibilities:

Keep away from direct sunlight or heat.

7.3 Specific end use(s):

No further relevant information available.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters:

Exposure limits Glycerin;

ACGIH (TLV) TLV-TWA 10 mg/m³ OSHA PEL TWA 15 mg/m³ (total) TWA 5 mg/m³ (resp)

8.2 Exposure controls:

Respiratory Protection:

Not required.

Skin Protection: Hand Protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye Protection: Safety goggles

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance/Odor/Colour: Blue colored paste Odour threshold Not determined.



1.25 (water=1)

page 4/6 CERAMAGE OXY BARRIER Printing date: July 20, 2017

pH Not determined.

Melting point/freezing point Not determined. **Boiling Point:** Not determined. Flash point: Not determined. Evaporation rate Not determined. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not determined. Vapour pressure Not determined. Vapour density Not determined.

Solubility: water solubility Soluble

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition temperature
Viscosity
Not determined.
Not determined.
Not determined.
Not determined.
Not applicable.
Oxidising properties
Not applicable.

9.2 Other information

Relative Density:

No further relevant information available.

SECTION 10. Stability and reactivity

10.1 Reactivity:

No further relevant information available.

10.2 Chemical stability:

Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions:

No dangerous reactions known.

10.4 Condition to Avoid:

Avoid exposure to direct sun light on the container.

10.5 Incompatible materials:

Strong oxidizing materials.

10.6 Hazardous Decomposition Products:

None under normal conditions of storage and use.

SECTION 11. Toxicological information

11.1 Information on toxicological effects:

Acute toxicity; Glycerin;

Polyethylene Glycol;

Oral mouse LD50 29 g/kg

1. rat LD50 30200 mg/kg rabbit LD50 26800 mg/kg

Dermal rabbit LD50 > 20 g/kg



page 5/6 CERAMAGE OXY BARRIER Printing date: July 20, 2017

Skin corrosion/irritation: H315 Causes skin irritation.

Eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitization to the respiratory tract:

Based on available data, the classification criteria are not met.

Skin sensitization: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity:

Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure):

Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure):

Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12. Ecological information

12.1 Toxicity:

No further relevant information available.

12.2 Persistence and degradability:

No further relevant information available.

12.3 Bioaccumulative potential:

No further relevant information available.

12.4 Mobility in soil:

No further relevant information available.

12.5 Results of PBT and vPvB assessment:

Not applicable.

12.6 Other adverse effects:

No further relevant information available.

SECTION 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of contents/container to in accordance with local/regional/national/international regulations.

SECTION 14. Transport information

14.1 UN number: Void
14.2 UN proper shipping name: Void
14.3 Transport hazard class(es): Void
14.4 Packing group: Void

14.5 Environmental hazards: No further relevant information available.

14.6 Special precautions for user: Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable.



page 6/6 CERAMAGE OXY BARRIER Printing date: July 20, 2017

SECTION 15. Regulatory informati

Follow all regulations in your country.

SECTION 16. Other information

This product is intended for use by dental professionals. (instrument/material)

Relevant phrases:

H315 Causes skin irritation.

Abbreviations and acronyms:

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative